

INNOVATIONS®



SKYLARK

Product Application:

Wallcovering

Composition:

Vinyl/Metallic Foil

Backing:

Non-Woven

Repeat:

H: 52" (132 cm) V: 30" (76 cm)

Durability:

Type II

Origin:

USA

Width:

54" (137 cm) Untrimmed

Weight:

20 oz/lineal yard (452 gsm)

Typical Roll Size:

10 yards (9 meters)

Fire Testing:

ASTM E84 – Class A / EN 13501: Euroclass B

Environmental Attributes:

Meets CA Section 01350 / LEED Regional Credit / Phthalate Free / Ultra-Low VOCs EQ 4.1

Warranty

Innovations' wallcoverings are guaranteed to be free of defects in workmanship and material for three years. We cannot accept responsibility for claims if our instructions and terms are not followed, nor are we liable for labor and associated costs, over and above the cost of replacement material.

Care and Maintenance

General maintenance can be achieved with periodic dusting and/or vacuuming of materials using a soft bristle brush. Marks and stains can be cleaned using mild soap and warm water. Avoid all solvent based cleaners and use a blotting technique with a soft sponge. Abrasives and scrubbing can destroy your material face if used. Dry the cleaned area with a lint-free towel.

Pattern Repeat Diagram

SKYLARK



Pattern Repeat Diagram

SKYLARK

SKL-001 ASH



Pattern Repeat Diagram

SKYLARK

SKL-002 GROVE



Pattern Repeat Diagram

SKYLARK

SKL-003 MOSS



Pattern Repeat Diagram

SKYLARK

SKL-004 AZURE

