

INNOVATIONS®



TRELLIS

Product Application:

Wallcovering

Composition:

Fabric/Metallic Foil/Vinyl

Backing:

Non-Woven

Mural Dimensions:

H: 212" (538 cm) V: 132" (335 cm)

Panel Dimensions:

This mural consists of 4 panels;

H: 53" (135 cm) V: 132" (335 cm)

Durability:

Type II

Weight:

20 oz/lineal yard (452 gsm)

Typical Roll Size:

15 yards (14 meters)

Fire Testing:

ASTM E84 – Class A / EN 13501: Euroclass B

Environmental Attributes:

Meets CA Section 01350 / LEED Regional Credit / Phthalate Free / Ultra-Low VOCs EQ 4.1

Warranty


Innovations' wallcoverings are guaranteed to be free of defects in workmanship and material for three years. We cannot accept responsibility for claims if our instructions and terms are not followed, nor are we liable for labor and associated costs, over and above the cost of replacement material.

Care and Maintenance

General maintenance can be achieved with periodic dusting and/or vacuuming of materials using a soft bristle brush. Marks and stains can be cleaned using mild soap and warm water. Avoid all solvent based cleaners and use a blotting technique with a soft sponge. Abrasives and scrubbing can destroy your material face if used. Dry the cleaned area with a lint-free towel.

Pattern Repeat Diagram


TRELLIS



Pattern Repeat Diagram

TRELLIS


TLS-001 HONEYSUCKLE



Pattern Repeat Diagram

TRELLIS


TLS-002 JASMINE



Pattern Repeat Diagram

TRELLIS

TLS-003 WINDFLOWER



Pattern Repeat Diagram

TRELLIS

TLS-004 HYACINTH

